

CHANGING THE FUTURE OF HEALTHCARE STAFFING

Labor Delivery Skills Checklist

This checklist will be used to assess your suitability for placement.

Note: You can save the checklist at any time and your progress will be stored.

Experience Guide

- 1 - Not Applicable** - minimal or no exposure to clinical aspect or care.
- 2 - Beginner** - sufficient knowledge to understand the contextual nature of the function, able to perform routine functions independently, requires assistance when setting priorities in complex situations, needs to gain speed and flexibility to be competent.
- 3 - Competent** - perceives situations and functions as a whole, has knowledge of the typical events to expect in a given situation and the appropriate responses, flexible in decision making.
- 4 - Proficient** - considerable background and experience, can grasp situations intuitively, mastery in performance, incorporates elements of innovation and creativity in clinical experience.

Management Of Patient During First Stage Of Labor

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Timing Of Uterine Contractions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Internal Monitoring With Intrauterine Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Use Of Tocodynamometer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assess Strength Of Contractions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Distinguish True And False Labor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Breathing And Relaxation Techniques	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Leopold's Maneuvers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assess For Ruptured Membranes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assess For Condition And Dilatation Of Cervix	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assess For Station	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

CHANGING THE FUTURE OF HEALTHCARE STAFFING

Assess For Position Of Presenting Part	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Relationship Of Fetus To The Pelvis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
General Assessment Of The Pelvis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Use Of Fetoscope To Assess Fht	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Use Of Fetal Electrocardiography	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Use Of Doppler (intermittent Or Continuous)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Internal Fetal Monitoring With Scalp Electrode	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Telemetry Monitoring Of Fetal Ecg And Intrauterine Pressure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Interpretation Of Fht Patterns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Fetal Blood Sampling Procedure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assist With Amniotomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of Pt Post Amniotomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Urine Check For Protein	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fetal Scalp Stimulation/audiostimulation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pitocin Induction/augmentation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Use Of Prostaglandins	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Administration Of Oxygen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of Fetal Demise	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assist With Speculum Exam/vaginal Cultures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wet Prep	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Obtain Sterile Specimens	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Epidural Placement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Epidural Infusion Pumps	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Regional Blocks (pudental Paracervical)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Administration Of Emergency Drugs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					

Care Of Patient During Second Stage Of Labor

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Set Up Of Equipment For Delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Set Up Of Equipment For Newborn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cleansing The Perineum Prior To Delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assisting With Vaginal Delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
McRobert's Maneuver	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Emergency (precipitous) Delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assisting With High Risk Delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assisting With Forceps Delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

CHANGING THE FUTURE OF HEALTHCARE STAFFING

Care Of Patient During Third Stage Of Labor

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Able To Distinguish If Placenta Is Intact	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Delivery Of Placenta	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assist With Manual Removal Of Placenta	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Manual Exploration Of Uterus	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Massage Of Uterine Fundus	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Specimen Collection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cord Blood, Placenta Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Repair Of Uterine Or Cervical Lacerations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Care Of Mother Undergoing C-section

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Prep Patient For Surgical Procedure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Foley	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Abdominal/perineal Shave	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Monitoring Of Patient During Surgical Procedure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Perform Cricoid Pressure If Requested	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Apply Monitors/saftey Strap/bolvie Pad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
C-section Or Setup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Scrub	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Circulate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of Post-op Patient	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Initiate Maintain Caad Pump	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Monitor Vital Signs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assess Level Of Consciousness	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assess Respiratory/cardiac Function	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assess Dressing/fundus/urine Output/and Lochia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					

Complications Of Labor

Care Of Patient With

	Experience					Experience			
	1	2	3	4		1	2	3	4
Dysfunctional Labor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Hypertonic Labor Pattern	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hypotonic Labor Pattern	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Prolonged Labor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Precipitous Labor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Premature Rupture Of Membranes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Preterm Labor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Postdate Pregnancy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Care Of Mother And Fetus At Risk Due To

	Experience					Experience			
	1	2	3	4		1	2	3	4
Fetal Malposition	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fetal Malpresentation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Developmental Abnormalities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Abruptio Placenta	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Placenta Previa	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Placental Dysfunctions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Prolapsed Umbilical Cord	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Amniotic Fluid Embolism	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Polyhydramnios	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Oligohydramnios	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lacerations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Placenta Accreta	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Inversion Of The Uterus	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of The Mother With A Multiple Pregnancy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care Of Mother And Fetus In The Presence Of Fetal Distress.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of Family At Risk Due To Fetal Demise	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

CHANGING THE FUTURE OF HEALTHCARE STAFFING

Care Of Mother With

	Experience					Experience			
	1	2	3	4		1	2	3	4
Dic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pih	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cephalopelvic Disproportion	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Heart Disease	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diabetes Mellitus	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Eclampsia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Preeclampsia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Risk For Rh Sensitivation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aids	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Infectious Disease	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sickle Cell Disease	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Drug Addiction/withdrawal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neurological Disease	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of Patient On Magnesium Sulfate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assess DtrÂ's	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Signs And Symptoms Of Hypertoxicity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Administration Of The Following

	Experience					Experience			
	1	2	3	4		1	2	3	4
Oxytocin (pitocin, Syntocinon	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rhogham	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Calcuim Gluconate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ritodrine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Morphine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Stadol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Nubain	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Phenergan	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vistaril	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Seconal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Methergine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Labetalol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Procardia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Indocin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hemotocin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Demerol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fentanyl	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Celestone (bethamethasone)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Telephone 866.945.4888

info@usnurselink.com
www.usnurselink.com

Fax 866.945.4895

Post Natal Care

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Perineal Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Perineal Laceration	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fundus Massage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Breast Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Episiotomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Discharge Teaching/care Of Newborn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Immediate Care Of Newborn

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Apgar Score	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Newborn Identification Procedures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care Of The Umbilical Cord	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assessment Of The Newborn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Promotion Of Maternal /infant Bonding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Assist With Breast Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Newborn Suctioning (bulb Syringe)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Promotion Of Warmth In Newborn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Warmers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Infant Security & Abduction Prevention	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Monitor Blood Sugar	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					

Administration Of Newborn Meds

	Experience					Experience			
	1	2	3	4		1	2	3	4
Vitamin K	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Erythromycin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ophthalmic Ointment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					

Additional Skills

General

	Experience					Experience			
	1	2	3	4		1	2	3	4
Cardioversion/defibrillation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ekg Interpretation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intravenous Venipuncture	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Setup And Maintenance Of Iv Fluid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Iv Pushes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Insertion Of Foley Catheter/in & Out Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pubic Prep	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Care Of The Undelivered Mother	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care Of Premature Labor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Magnesium Sulfate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Terbutaine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					

Age Specific Practice Criteria

Please check the boxes below for each age group for which you have expertise in providing age-appropriate nursing care.

- A.** New Born/Neonate **(Birth - 30 days)**
- B.** Infant **(30 days - 1 Year)**
- C.** Toddler **(1 - 3 Years)**
- D.** Preschooler **(3 - 5 Years)**
- E.** School age children **(5 - 12 Years)**
- F.** Adolescents **(12 - 18 Years)**
- G.** Young Adults **(18 - 39 Years)**
- H.** Middle Adults **(39 - 64 Years)**

CHANGING THE FUTURE OF HEALTHCARE STAFFING

I. Older Adults (+64 Years)

Experience With Age Groups

- Able to adapt care to incorporate normal growth and development A B C D E F G H I
- Able to adapt method and terminology of patient information to their age, comprehension and maturity level. A B C D E F G H I
- Can ensure a safe environment reflecting specific needs of varying age groups. A B C D E F G H I

By submitting this checklist you agree to the following:

I attest that the information I have given is true and accurate to the best of my knowledge and that I am the individual completing this form. I hereby authorize the Company to release this Skills Checklist to the Client facilities in relation to consideration of employment as a per diem nurse with those facilities.

Nurse Signature

Date